

# SteakMaker® Stocker Starter 2X

**Type of Feed:** Semi-Complete      **Form of Feed:** Pellet

**General Description:**

SteakMaker Stocker Starter 2X is a semi-complete feed for starting home-raised or moderately stressed cattle. It is designed to be fed at 2% bodyweight with hay or other roughages.

LAND O LAKES®  
**STEAKMAKER STOCKER STARTER 2X**  
FOR STARTING CATTLE

**GUARANTEED ANALYSIS**

Crude Protein, (Min).....	12.0 %
Crude Fat, (Min).....	1.0 %
Crude Fiber, (Max).....	25.0 %
Calcium (Ca), (Min).....	0.5 %
Calcium (Ca), (Max).....	1.0 %
Phosphorus (P), (Min).....	0.30 %
Salt (NaCl), (Min).....	0.3 %
Salt (NaCl), (Max).....	0.8 %
Potassium (K), (Min).....	0.6 %
Zinc (Zn), ppm, (Min).....	43
Copper (Cu), ppm, (Min).....	13
Selenium (Se), ppm, (Min).....	0.3
Vitamin A, I.U./lb, (Min).....	5,000
Vitamin D <sub>3</sub> , I.U./lb, (Min).....	750
Vitamin E, I.U./lb, (Min).....	20

**INGREDIENTS**

Plant Protein Products, Roughage Products (not more than 55%), Processed Grain By-Products, Grain Products, Molasses Products, Forage Products, Dried Bakery Product, Calcium Carbonate, Salt, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Ethylenediamine Dihydriodide, Cobalt Carbonate, Basic Copper Chloride, Manganese Sulfate, Zinc Sulfate, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Mineral Oil

**DIRECTIONS FOR USE**

Feed STEAKMAKER STOCKER STARTER 2X at 2 lb per 100 lb bodyweight with additional forage for receiving or starting cattle. Maximum intake of this feed is 22 lb per head per day.

Do not allow animals to run out of feed. Provide adequate bunk space for each animal. Bunks should be well protected and well managed to prevent accumulation of fines, wet and moldy feed. When making a ration change, allow at least five days for animals to adjust to the new ration. When fed from a self-feeder, adjust the feeder to minimize quantity of feed accumulations in trough and offer additional long-stemmed hay. Provide a source of fresh, clean water at all times.

In groups of cattle there are certain animals which can experience digestive disturbances from over-eating feed. Weather changes, enterotoxemia and poor feeding practices all can result in erratic feed consumption and can increase the incidence of digestive problems. Always follow directions and good animal health and feeding practices.

**Available Additives:**

Product No.	Product Name	Active Drug	Active Drug Level
1650118	Stocker Starter 2X	Non-medicated	None
1650119	Stocker Starter 2X B45	Bovatec	45 g/ton
1650120	Stocker Starter 2X DX22.7	Deccox	22.7 g/ton
1650121	Stocker Starter 2X AS700 10#	Aureomycin Sulfamethazine	35 mg/lb 35 mg/lb

**Product Features:**

Protein, energy, vitamin and mineral semi-complete feed formulated to be fed at 2% of the animal's body weight

12% protein from all vegetable sources

Fortified source of trace minerals using inorganic sources; provides elevated levels of vitamins for stressed cattle.

Moderate energy content

Contains roughage sources

Highly palatable pellet

Available with a wide variety of feed additives and feeding rates.

**Product Benefits:**

Fortified to compensate for the reduced feed intake of stressed cattle

Adequate amounts of protein to start cattle

Specifically designed for lightly stressed or home-raised calves

Reduces chances of acidosis often associated with starting cattle on feed.

Stimulates rumen motility; lowers risk of acidosis while providing high level of energy

Encourages newly weaned or shipped-in cattle to eat.

Allows the producer to choose a medicated option to meet their needs

**Usage Tips**

SteakMaker Stocker Starter 2X is ideal for starting home-raised cattle and cattle that have been lightly stressed by weaning and/or shipment. This is the perfect product to use on cattle that are being straightened out prior to grass turn-out and for pre-conditioning programs like VAC-45. SteakMaker Stocker Starter 2X is a semi-complete feed that should be fed with small amounts of roughage. The wide variety of feed additives and levels allows a producer to tailor his feeding program to his own particular needs. Feed SteakMaker Stocker Starter 2X up to 2% of the animal's body weight, while providing a source of excellent quality long-stemmed grass, grass-legume, or small grain hay.

Do not allow animals to run out of feed. Provide adequate bunk space for each animal. Bunks should be well protected and well managed to prevent accumulation of fines, wet and moldy feed. Offer additional long-stemmed hay. Fermented feeds (high moisture grains, silage) should be limited to 10% of the diet for starting young or heavily stressed cattle. When making a ration change, allow at least 5 days for animals to adjust to the new ration. Stressed cattle should be placed in a clean, non-crowded environment. Provide a source of fresh, clean water at all times.

In groups of cattle there are certain animals which can experience digestive disturbances from overeating feed. Weather changes, enterotoxemia and poor feeding practices all can result in erratic feed consumption and can increase the incidence of digestive problems. Always follow directions and good animal health and feeding practices.

**With AS700 feeds, feed for 28 days. There is a 7 day withdrawal prior to slaughter.**

**Key Points**

1. SteakMaker Stocker Starter 2X is a diet for receiving/starting cattle or starting home-raised calves on feed. Perfect for VAC-45 type programs.
2. It is a highly palatable starter that encourages new cattle to eat.
3. Semi-complete feed with medication options geared for feeding approximately 2% of the animal's body weight.