

# SteakMaker<sup>®</sup> IM Balancer 26 R267 T110

Type of Feed: Supplement      Form of Feed: Soft Pellet

**General Description:**

This plant protein and NPN supplement is designed for controlling intake of feedlot cattle.

**LAND O LAKES**  
**STEAKMAKER<sup>®</sup> IM BALANCER R267 T110**

**MEDICATED**  
(For Ruminants Only)

FOR GROWING AND FINISHING CATTLE

For improved feed efficiency. For reduction of liver abscesses caused by *Fusobacterium necrophorum* and *Actinomyces pyogenes*.

**ACTIVE DRUG INGREDIENT**

Monensin.....267 g/ton  
Tylosin Phosphate..... 110 g/ton

**GUARANTEED ANALYSIS**

**Crude Protein, (Min).....26.0 %**  
(This includes not more than 17.0% equivalent crude protein from non-protein nitrogen.)  
**Crude Fat, (Min).....2.0 %**  
**Crude Fiber, (Max).....15.0 %**  
**Calcium (Ca), (Min).....6.0 %**  
**Calcium (Ca), (Max).....7.0 %**  
**Phosphorus (P), (Min).....0.50 %**  
**Salt (NaCl), (Min).....2.5 %**  
**Salt (NaCl), (Max).....3.5 %**  
**Potassium (K), (Min).....2.0 %**  
**Magnesium (Mg), (Min) .....0.4 %**  
**Copper (Cu), Ppm, (Min) .....140**  
**Selenium (Se), ppm, (Min) .....0.6**  
**Zinc (Zn), ppm (Min).....472**  
**Vitamin A, I.U./lb, (Min) .....20,000**  
**Vitamin D, I.U./lb, (Min) .....2,000**  
**Vitamin E, I.U./lb, (Min).....10**

**MIXING DIRECTIONS:**

Thoroughly mix 170 pounds of this product with 1830 pounds of good quality air dry coarse cracked or whole shelled corn and/or byproducts to yield a final mixed ration containing 9.35 grams/ton tylosin and 22.7 grams/ton monensin.

**FEEDING DIRECTIONS**

Feed this final mix continuously as the sole ration to finishing beef cattle weighing 650 pounds or more or dairybeef steers weighing 400 pounds or more at the rate of 19.25 pounds per head per day to provide 218 mg. monensin and 90 mg. tylosin per head per day. No additional improvement in feed efficiency has been shown from feeding monensin at levels greater than 30 g/ton (360 mg monensin per head per day).

**LIMITATIONS FOR USE:**

Feed only to cattle being fed in confinement for slaughter.

**INGREDIENTS**

Processed Grain By-Products, Plant Protein Products, Grain Products, Calcium Carbonate, Salt, Potassium Chloride, Calcium Chloride, Urea, Sodium Selenite, Cobalt Carbonate, Manganese Sulfate, Ethylenediamine Dihydriodide, Zinc Sulfate, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Copper Chloride, Roughage Products, Mineral Oil, Vitamin E Supplement, Lecithin, Glyceryl Monostearate, Iron Oxide, Choline Chloride, Olive Oil, Calcium Stearate, Inositol .



Available Options:

Product No.	Options	Package	Active Drug Level	Feeding Rate
1760384-206	R267 T110	Bag	267 g/ton Rumensin -110 g/ton Tylan	1.1 – 1.6
1760384-201	R267 T110	Bulk	267 g/ton Rumensin -110g/ton Tylan	1.1 – 1.6
1760383-201	B300 AU350	Bulk	300 g/ton Bovatec – 350 g/ton Aureomycin	2.0

**IMPORTANT:**

This product is to be fed only to the animal species as directed on this label. Follow these management practices:

1. Cracked corn should be processed in a manner to minimize the creation of fines.
2. Whole shelled corn should be at least of #2 corn quality.
3. Storage and handling of supplement should be managed to eliminate the unnecessary production of fines.
4. Do not allow complete ration fines to build up in the feed bunk or bulk feeder.
5. Proper adaptation procedures to the complete ration should be followed.
6. When making a ration change, allow 7-10 days for animals to adjust to the new ration.
7. Provide a source of fresh, clean water at all times.
8. Provide adequate bunk space for each animal. Bunks should be well protected and well managed to prevent feed from becoming wet and molding.
9. When fed from a self-feeder, adjust feeder to minimize quantity of feed accumulating in trough.
10. Cattle should be vaccinated against enterotoxemia.
11. Consult your veterinarian for recommended health program for your local area.
12. Have feed before cattle at all times.

<b>Product Features:</b>	<b>Product Benefits:</b>
<b>26% Protein, 17% from NPN</b>	Protein and NPN levels to meet protein requirements and maximize animal performance
<b>6-7 % Calcium, 0.5% Phosphorus</b>	Balances Ca;P ratios in feedlot diets utilizing Co-Products
<b>Intake Modifying Technology</b>	<p>Cattle consume multiple small snacks daily, which optimizes rumen efficiency and reduces digestive problems in feedlot cattle including bloat, acidosis and founder</p> <p>Reduces need for diet roughage which improves feed efficiency, reduces costs as well as decreasing manure production</p>
<b>Convenience – Peace of Mind</b>	Over 30 years of research experience has been leveraged for the development of SteakMaker® IM Finisher so that it will dependably control intake.