

SteakMaker[®] IM Finisher 44 R227 T90

Type of Feed: Supplement Form of Feed: Soft Pellet

General Description:

This plant protein and NPN supplement is designed for controlling intake of feedlot cattle.

LAND O LAKES STEAKMAKER[®] IM FINISHER 44 R227 T90

MEDICATED
(For Ruminants Only)

FOR GROWING AND FINISHING CATTLE

For improved feed efficiency. For reduction of liver abscesses caused by *Fusobacterium necrophorum* and *Actinomyces pyogenes*.

ACTIVE DRUG INGREDIENT

Monensin.....227 g/ton
Tylosin Phosphate.....90 g/ton

GUARANTEED ANALYSIS

Crude Protein, (Min).....44.0 %
(This includes not more than 25.5% equivalent crude protein from non-protein nitrogen.)
Crude Fat, (Min).....2.0 %
Crude Fiber, (Max).....10.0 %
Calcium (Ca), (Min).....4.5 %
Calcium (Ca), (Max).....5.5 %
Phosphorus (P), (Min).....0.50 %
Salt (NaCl), (Min).....2.5 %
Salt (NaCl), (Max).....3.5 %
Potassium (K), (Min).....2.0 %
Magnesium (Mg), (Min).....0.5 %
Copper (Cu), Ppm, (Min).....119
Selenium (Se), ppm, (Min).....0.5
Zinc (Zn), ppm (Min).....402
Vitamin A, I.U./lb, (Min).....17,000
Vitamin D, I.U./lb, (Min).....2,000
Vitamin E, I.U./lb, (Min).....10

INGREDIENTS

Processed Grain By-Products, Plant Protein Products, Grain Products, Calcium Carbonate, Salt, Potassium Chloride, Calcium Chloride, Urea, Sodium Selenite, Cobalt Carbonate, Manganese Sulfate, Ethylenediamine Dihydriodide, Zinc Sulfate, Vitamin A Supplement, Vitamin D₃ Supplement, Copper Chloride, Roughage Products, Mineral Oil, Vitamin E Supplement, Lecithin, Glycerol Monostearate, Iron Oxide, Choline Chloride, Olive Oil, Calcium Stearate, Inositol.

MIXING DIRECTIONS:

Thoroughly mix 200 pounds of this product with 1800 pounds of good quality air dry coarse cracked or whole shelled corn and/or byproducts to yield a final mixed ration containing 9 grams/ton tylosin and 22.7 grams/ton monensin.

FEEDING DIRECTIONS:

Feed the resulting Type C feed as the sole ration to finishing beef cattle weighing 650 pounds or more or dairy beef steers weighing 400 pounds or more at the rate of 20 pounds per head per day to provide 227 mg. monensin and 90 mg. tylosin per head per day. No additional improvement in feed efficiency has been shown from feeding monensin at levels greater than 30 g/ton (360 mg. monensin per head per day).

LIMITATIONS FOR USE:

Feed only to cattle being fed in confinement for slaughter.



Available Options:

Product No.	Options	Package	Active Drug Level	Feeding Rate
1760387-206	R227 T110	Bag	227 g/ton Rumensin -90 g/ton Tylan	2.0
1760387-201	R227 T110	Bulk	227 g/ton Rumensin-90g/ton Tylan	2.0
1760385-206	B300 AU350	Bag	300 g/ton Bovatec – 350 g/ton Aureomycin	2.0

IMPORTANT:

This product is to be fed only to the animal species as directed on this label. Follow these management practices:

1. Cracked corn should be processed in a manner to minimize the creation of fines.
2. Whole shelled corn should be at least of #2 corn quality.
3. Storage and handling of supplement should be managed to eliminate the unnecessary production of fines.
4. Do not allow complete ration fines to build up in the feed bunk or bulk feeder.
5. Proper adaptation procedures to the complete ration should be followed.
6. When making a ration change, allow 7-10 days for animals to adjust to the new ration.
7. Provide a source of fresh, clean water at all times.
8. Provide adequate bunk space for each animal. Bunks should be well protected and well managed to prevent feed from becoming wet and molding.
9. When fed from a self-feeder, adjust feeder to minimize quantity of feed accumulating in trough.
10. Cattle should be vaccinated against enterotoxemia.
11. Consult your veterinarian for recommended health program for your local area.
12. Have feed before cattle at all times.

Product Features:	Product Benefits:
44% Protein, 25.5% from NPN	Protein and NPN levels to meet protein requirements and maximize animal performance
4-5 % Calcium, 0.5% Phosphorus	Balances diet deficiencies in feedlot diets to improve daily gain and feed efficiency
Intake Modifying Technology	<p>Cattle consume multiple small snacks daily, which optimizes rumen efficiency and reduces digestive problems in feedlot cattle including bloat, acidosis and founder</p> <p>Reduces need for diet roughage which improves feed efficiency, reduces costs as well as decreasing manure production</p>
Convenience – Peace of Mind	Over 30 years of research experience has been leveraged for the development of SteakMaker® IM Finisher so that it will dependably control intake