

Feedlot Suspension 32 (7 Ca)

Type of Feed: Supplement **Form of Feed:** Liquid

General Description:

This liquid supplement is an economical source of supplemental protein, vitamins and minerals designed for growing and finishing cattle on moderately high to high-grain diets.

LAND O LAKES®
FEEDLOT SUSPENSION-32 (7 Ca)
 FOR GROWING AND FINISHING CATTLE
 CAUTION: FEED AS DIRECTED

GUARANTEED ANALYSIS

Crude Protein, (Min).....	32.0%
(This includes not more than 31.0% equivalent crude protein from non-protein nitrogen.)	
Crude Fat, (Min).....	0.0%
Crude Fiber, (Max).....	0.5%
Calcium (Ca), (Min).....	6.3%
Calcium (Ca), (Max).....	7.5%
Phosphorus (P), (Min).....	0.70%
Salt (NaCl), (Min).....	3.5%
Salt (NaCl), (Max).....	4.5%
Potassium (K), (Min).....	3.0%
Copper (Cu), ppm, (Min).....	195
Selenium (Se), ppm, (Min).....	4.1
Zinc (Zn), ppm, (Min).....	650
Vitamin A, I.U./lb, (Min).....	45,000
Vitamin D ₃ , I.U./lb, (Min).....	11,000
Vitamin E, I.U./lb, (Min).....	50
Moisture, (Max).....	35.0%

INGREDIENTS

Urea, Molasses Products, Calcium Carbonate, Salt, Processed Grain By-Products, Water, Potassium Chloride, Ammonium Polyphosphate, Xanthan Gum and/or Attapulgitic Clay, Ammonium Sulfate, Zinc Sulfate, Manganese Sulfate, Ethylenediamine Dihydriodide, Cobalt Carbonate, Basic Copper Chloride, Sodium Selenite, Vitamin E Supplement, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Mineral Oil

DIRECTIONS FOR USE

Feed to finishing cattle at the rate of 0.75 to 1.6 lb per head daily. Mix thoroughly with grain and roughage prior to feeding.

This suspension product must be recirculated or agitated for more than 10 minutes immediately prior to use. A minimum of 1% of the tank must be moved to the top. Recirculate or agitate daily, as above, even when the supplement is not used. This product should be used within 90 days of manufacturing for maximum performance.

Available Additives:

Product No.	Options	Active Drug	Active Drug Level
1822000		Non-medicated	
1822010	R400	Rumensin	400 g/ton

Product Features:

32% Protein, high NPN content

7-8% Calcium, 0.5% Phosphorus; ammonium sulfate added

100% vitamin and trace mineral fortified

Available with different suspension agents

Available with Rumensin

Product Benefits:

Reduces cost of feed and improves cost of gain without sacrificing performance of cattle.

Balances moderately high grain rations; helps prevent water belly (urinary calculi)

No need to feed extra mineral supplements to meet requirements.

Xanthan Gum has less emphasis on re-circulation, but is more expensive than Attapulgate Clay. Attapulgate Clay demands daily re-circulation of the feedlot suspension, but is less expensive than Xanthan Gum. Feedlot suspensions are also available with a combination of Xanthan Gum and Attapulgate Clay

For improved feed efficiency; prevention and control of coccidiosis.

Usage Tips

Thoroughly mix Feedlot Suspension 32 (7 Ca) with grain and roughage prior to feeding. Follow label directions for mixing.

WARNING: This feed must be used only in accordance with directions furnished on label.

DO NOT FEED TO SHEEP

Recirculate immediately prior to use for not less than 10 minutes, moving not less than 1% of the tank contents per minute from the bottom of the tank. Recirculate daily, as above, even when supplement is not used.

Key Points

1. Growing and finishing cattle.
2. Prevents losses due to environment (wind, rain, snow) and feed separation in the bunk.
3. Improving ration condition and palatability.
4. Ammonium sulfate helps to prevent water belly.
5. Available with clay, gum or clay/gum suspension agents.